

Analytical Model for Data Consistency on Private Cloud Storage System

Yin Nyein Aye, Thinn Thu Naing

University of Computer Studies, Yangon

yinnyeinaye.ptn@gmail.com, thinnthu@gmail.com

Abstract

Cloud computing paradigm contains many shared resources such as infrastructures, data storage, various platforms and software. In cloud storage service, consistency not only influences the performance and availability of the systems but also the overall operational cost. This paper is proposed an analytical model using MM1 queuing for data consistency on private cloud storage system to evaluate the discarding probability based on update requests to handle update conflict. After updating data, replicas can be active or inactive in the system. In this paper, Markov Chain is applied for a replica to improve the readability and consistency of storage on the cloud environment.

1. Introduction

Cloud environment is a dynamic environment, where the user's data transmits from the data centre to the user's client. For the system, the user's data is changing all the time. Read and write data relating to the identity of the user authentication and permission issues.

Cloud computing is still a rather new field, which is not yet entirely defined. As a result, many interesting research problems exist, often combining different research areas such as databases, distributed systems or operating systems. There are many open research issues for cloud computing. Among these, consistency is one of the issues for cloud computing.

Cloud computing platforms enable users to rent computing and storage resources on-demand to run their networked applications and employ virtualization to multiplex virtual server's

belonging to different customers on a shared set of servers. Cloud storage services are becoming increasing popular as they promise high scalability and availability at low cost. Cloud storage is an emerging infrastructure that offers Platforms as a Service (PaaS). Unfortunately, current cloud storage services are not adequate to support applications that require guarantees on consistency especially in the presence of data updates.

Cloud storage services like Amazon S3 provide weak eventual consistency guarantees, which can lead to conflicts and inconsistencies when multiple users are sharing the same cloud storage instance.[1] Current cloud storage systems have very loose consistency guarantees. Consistency plays an important role in the context of cloud computing. It is not only has a direct effect on the availability but also impacts the performance and cost. One of the most important differences between cloud storage services compared to traditional transactional database systems are the provided consistency guarantees. Data storage in cloud rely on data replication to achieve better performance and reliability by storing copies of data sets on different nodes. [6] File replication needs consistency maintenance to keep the consistency between a file and its replicas and on the other hand the overhead of consistency maintenance is determined by the number of replicas. Connecting these two components will increase the system performance.

Consistency is ensured by synchronization between the copies (replicas). This paper will address the problem of consistency on cloud storage by using probability for data consistency on cloud storage system which intends to prove the maximize resource utilization on the cloud

environment. The remaining paper is organized as follows. Section 2 discusses related work and section 3 describes architecture of private cloud storage system. Moreover, section 4 represents analytical model for consistency on cloud storage. Finally, section 5 addresses the conclusion.

2. Related Work

Cloud computing is attracting interest through the potential for low cost, unlimited scalability and elasticity of cost with load. A wide variety of offerings are typically categorized as Infrastructure as a Service (IaaS), Platform as a Service (PaaS) and Software as a Service (SaaS). [3] The traditional database systems can become a bottleneck in a cloud platform thus novel storage platforms are commonly offered within IaaS clouds too. These storage platforms operate within the cloud platform and take advantage of the scale out from huge numbers of cheap machines; they also internally have mechanisms to tolerate the faults that are inevitable with so many unreliable machines. Although the advantages for building applications in the cloud are compelling, they come with certain limitations. Furthermore, the systems sacrifice functionality and consistency to allow for better scaling and availability. If more functionality and/or consistency are required, it has to be built on top.

A great deal of academic and industry attention has focused on the design and construction of scalable, distributed databases. Existing solutions differ in the degree of consistency they provide. High consistency implies high cost per transaction and in some situations reduced availability. Low consistency is cheaper but it might result in high operational cost because of, e.g., overselling of products in a Web shop. Moreover, [8] is reported that not all data needs to be treated at the same level of consistency and divided into three categories (A,B,C) and treated each category differently depending on the consistency level provided.

The more replicas, the more difficult to keep consistency. When enforcing consistency, the system is no longer highly available. If the

multiple copies of the same data; they must have same consistency state. In cloud computing replication is heavily utilized to maintain consistency must communicate over network but difficult when unreliable network. To maintaining consistency in clouds, updates to data require notifying all replicas of update and send messages to all replicas. If network unreliable and not all replicas respond to update, all replicas must wait. Therefore, results in unsuccessful transactions and performance degradation. [9] Amazon's S3 [1] and Dynamo [4] only promise eventual consistency. Cassandra [2] provides quorum-based consistency and eventual consistency.

3. Architecture of Private Cloud Storage System

To achieve data freshness and update consistency in distributed systems, there are many possible ways of propagating updates from the data origins to intermediate nodes. Brewer's CAP principle [7] states that any shared data system can provide only two of the following three properties: consistency, availability, and partition tolerance. Cloud-based services rely on the availability and reliability of managed data centers. The basic idea of this private cloud storage is to build a low-cost distributed cloud storage system and to provide basic data storage, read, delete, search and other storage services.

In cloud storage, it has to provide 24/7 data availability. Therefore, updating all copies synchronously is not suitable due to longer response time, especially when there are storage node failures. The storage system consists of two main strata: a cluster based storage system and application layer. The key challenge is how to design techniques for each layer component and make these components work together in a coherent system. In figure 1 describes the architecture of each component.

At the bottom layer, replication management and storage system layers are merged in the systems relying on a fault-tolerant distributed storage system to ensure the availability of the stored data. [6]




Figure 1. Architecture of Private cloud storage

The top layer of this architecture is applications of data which implements data consistency for cloud storage. From the users' point of view, data on replicated objects should appear the same as one with non-replicated system. The consequence of data application is performed by clients on replicated objects should be the same as if they had been performed one at a time on a single set of objects.

In this storage system, a node is a data storage node, there is the possibility of failure and cannot guarantee the availability of data. However, block replica may be inaccessible due to data node unavailable. If one of the blocks is unavailable, the whole file can failure in normal storage system except in cloud storage system. There is still a problem that is the occurrence of concurrent read and updates operations within a block. In that case, a read operation may gather blocks units that represent a different state, some may already updated and some others may still contain old content.

The same problem also arises when several clients update blocks concurrently. Then data

striping units may represent content of different update operations. Gathering the data stripping units over the network would lead to invalid content. The consistency problem is related to updating all replicas during concurrent read access.

If one replica is modified, all the replicas of an object must be updated, it can be consumed large amounts of storage and network bandwidth. Although adding replicas of an object can improve availability and balance workload but it will increase consistency maintenance cost which may essentially result in communication congestion of underlying network and essentially decrease the data access performance.

4. Analytical Model

Data rely on cloud storage to achieve better performance and reliability by storing copies of data sets on different nodes. In figure2 shows that consistency on distributed storage system. When a data set can be modified by applications, the problem of maintaining consistency among existing copies arises.




Figure2. Diagram of Cloud Storage on data consistency

Clients (A, B and C) on different machines can concurrently access the data store (D0); it is possible for clients to invoke read or update operations. Two (or more) operations on the same data items are conflicting if they may occur concurrently (that is each is invoked by a

different client), and at least one of them is a write. To maintain consistency, this paper is proposed MM1 queuing model for discarding probability.

Table 1. Definition of notation

Symbol	Notation
λ	Poisson arrival rate
μ	Average service rate
ρ	update request intensity
n	Numbers of update request
π_n	n updates in the queue
N	Number of replica nodes

An update may only be discarded by the discarding probability to control update conflict. Assuming the total number of replica nodes as N . The discarding probability of an update is computed based on the queuing model with arrival rate λ and service time μ . Define the update request intensity as ρ .

$$\rho = \frac{\lambda}{\mu} \quad (1)$$

Define the discarding probability of n updates in the queue as π_n based on the queuing theory for M/M/1 finite queue.

$$\pi_n = \rho^n \pi_0 \quad (2)$$

Where $\pi_0 = \frac{1-\rho}{1-\rho^N}$ and ρ^N is update request on number of replica nodes.

$$\pi_n = \frac{1-\rho}{1-\rho^N} * \rho^n \quad (3)$$

In this system, assume that evaluate upon different update request for arrival rate λ is 5, 10,15,20,25, service rate μ is 32 second per replica and the total number of replica nodes N is 3. When the number of update requests increase, the discarding probability also increases

significantly for maintaining consistency in figure 3. In table 1, it represents the definition of notation.




Figure 3. Discarding probability for update request

In a cluster of nodes, failures of a node (most commonly storage faults) are daily occurrences. A replica stored on a node may become corrupted because of faults in memory, disk, or network. Computers do not need to be online all the time and a file may be altered on multiple machines before they synchronize again which may result in update conflicts. After updating data, some replicas will be represented in the system with multiple versions, some of them will be active, some of them inactive because of node failure; some replicas will be up-to-date (i.e. correct), some odd (incorrect).

In reading probability on cloud storage, a replica can transit to one of the four possible states $S(0,0)$, $S(1,0)$, $S(1,1)$ and $S(0,1)$ corresponding to (Inactive, wrong), (Active, wrong), (Active, correct) and (Inactive, correct). Table 2 shows the state description for reading correct replica.

A correct data version will be read by cloud storage only if at least one correct replica is available. In order to compute the probability of consistency, figure 4 shows the state diagram for a replica to be consistency on data after update.

Write down and solving the steady-state balance equations, the probabilities as follows.

$$P(0,0) = \left[\frac{1}{1 + \frac{\lambda_1}{\mu_1} + \left[\frac{\lambda_2 + \mu_1}{\mu_2} \right] P(1,0) - \frac{\lambda_1}{\mu_2} + \left[\frac{\lambda_3 + \mu_2}{\mu_3} \right] P(1,1) - \frac{\lambda_2}{\mu_3} P(1,0)} \right] \quad (4)$$

$$P(1,0) = \left\{ \frac{\lambda_1}{\mu_1} \right\} P(0,0) \quad (5)$$

$$P(1,1) = \left\{ \left[\frac{\lambda_2 + \mu_1}{\mu_2} \right] \frac{\lambda_1}{\mu_1} - \frac{\lambda_1}{\mu_2} \right\} P(0,0) \quad (6)$$

$$P(0,1) = \left\{ \left[\frac{\lambda_3 + \mu_2}{\mu_3} \right] \left[\frac{\lambda_2 + \mu_1}{\mu_2} \right] \frac{\lambda_1}{\mu_1} - \frac{\lambda_1}{\mu_2} - \frac{\lambda_2}{\mu_3} \frac{\lambda_1}{\mu_1} \right\} P(0,0) \quad (7)$$




Figure 4.State diagram for a replica

Table 2 .State description for reading correct replica

State	Description
(0,0)	Inactive, Wrong
(1,0)	Active, Wrong
(1,1)	Active, Correct
(0,1)	Inactive, Correct

Reading of a correct data is represented by a random variable C i.e. correct (C=1) and incorrect read (C=0).The correct version is going to be read, if at least one correct replica is active. In other words, it is the counter probability that Active-correct replica P (1,1) is available. The system is not available correct version in P (0,0) , P (0,1) and P (1,0). Therefore, the probability of reading the correct read P(C=1) can be expressed for N replicas as follows.

$$P(C = 1) \geq 1 - P(1,1)^N \quad (8)$$




Figure 5.Correct read probability

In figure 5 shows that the read probability changes with the increase of the number of replicas and can be seen that the system will contain at least one correct block replica.

To verify the validity of this model, the result obtained from the numerical solution by SHARPE. For this purpose, the parameters are chosen as follows;

$$\lambda_1 = \lambda_2 = \lambda_3 = 0.1, \mu_1 = \mu_2 = \mu_3 = 0.6, N = 3$$




Figure 6. Correct read probability from SHARPE

5. Conclusion

The increasing popularity of cloud storage services has led companies that handle critical data to think about using the services for their storage needs. Therefore, in cloud storage services, consistency plays an important role in the context of cloud computing. It is not only has a direct effect on the availability but also impacts the performance and cost. This paper is proposed MM1 Queuing model for discarding probability of update request which eliminates the complicated conflict. Furthermore, an approach is also proposed for reading a correct replica from private cloud storage.

References

- [1] A. Onibokun, M. Palankar, A. Iamnitchi, M. Ripeanu, Furht, A. Escalante, "Amazon S3 for Science Grids: a Viable Solution", www.cse.usf.edu/~anda/papers/AmazonS3_TR.pdf, 2010.
- [2] A. Lakshman, P. Malik, Cassandra, "A Decentralized Structured Storage System", December 2009.
- [3] B. Furht, A. Escalante, *Handbook of Cloud Computing*, ISBN 978-1-4419-6523-3, Springer Science+Business Media, LLC 2010.
- [4] G. DeCandia, D. Hastorun, M. Jampani, G. Kakulapati, A. Lakshman, A. Pilchin, S. Sivasubramanian, P. Vosshall, W. Vogels,

"Dynamo: Amazon's highly available key-value store". In SOSP'07, pages 205–220, October 2007.

[6] J. Myint, T. T. Naing, "Management of Data Replication for PC Cluster based Cloud Storage System", University of Computer Studies, Yangon, Myanmar, *IJCCSA*, Vol. 1, No. 3, November 2011

[7] S. Gilbert and N. Lynch. "Brewer's conjecture and the feasibility of consistent, available, partition-tolerant web services". *SIGACT News*, 33(2):51–59, 2002.

[8] T. Kraska, M. Hentschel, G. Alonso, D. Kossmann, "Consistency Rationing in the Cloud: Pay only when it matters", Systems Group, Department of Computer Science, ETH Zurich, VLDB '09, August 24-28, 2009, Lyon, France.

[9] X. Chen, H. Wang, S. Ren, X. Zhang, "DNScup: Strong Cache Consistency Protocol for DNS". *Distributed Computing Systems, ICDCS, IEEE*, 2006.